FORM 4		
Configuration Name:	Florida Crystals	

# Summary Sheet of a Treatment Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 4* for Each Treatment Component Included in the Proposed Configuration. **Bold items required.** 

**Bold items required.** Note - One of these forms is completed for **EACH** Treatment Component as identified on FORM 2. This FORM 4 is to capture any additional specific information about the Treatment Component not already provided in FORM 1 and FORM 2. \_\_\_\_\_\_ Configuration Name (from FORM 1): \_Florida Crystals\_\_\_\_\_ Component Number and Name (from FORM 2): \_\_\_\_\_\_ \_Component 1: 14,000 acre STA in S-5A basin \_\_\_\_\_ Does Treatment Component Also Have a Primary Function as a Storage Component? Yes X No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 4. **General Description of Treatment Component:** STA in S-5A basin to treat water from S-5A basin and L-8 canal

FORM 4, Page 1 of 1

FORM 4 Configuration Name:Florida Crystals
Encourage the Authors to be descriptive about the features of the component that matters most to them.
Type of Treatment (check all that apply):  Mechanized like a Chemical Treatment Plant  XActively Managed like a Stormwater Treatment Area  Minimally Managed like a Wetlands  Passively Managed like Natural Lands
Have the Authors check which of the above best describes the treatment component. This is especially important if they have defined a treatment component unlike anything we have experience with – checking one or more of the above will help in understanding what it is similar to.
Check Most Important Feature(s) of Treatment Component (if any) (check alfeatures that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Treated – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
X _ Total Acres of Land15,000 acres (14,000 acres effective) (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Only the features above that are critical to the Authors should be checked. It is

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the treatment component must be on 40,000 acres of land, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 4 Configuration Name:Florida Crystals
General Component Location:
(provide details on the required location of the component in addition to the information drawn on the map, examples – - anywhere north of Lake Okeechobee
<ul> <li>only on US Sugar Lands west of L-19 Canal</li> <li>any lands between L-19 Canal and New Miami River Canal</li> </ul>
List Counties:Palm Beach
Description:
_In S-5A basin hydrologically upstream of STA 1W and STA 1E
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Treatment Component Operations:
If the Authors envision this component to be operated a certain way, this is where

If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "natural un-recruited

FORM 4		
Configuration Name:	Florida Crystals	

vegetation in the flowway will serve as the treatment component to obtain the required water quality for the Everglades".

Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

Reliability of Treatment Cor Treatment Area	•	•	tormwater
Inflow Capacity – Provide in (Facilitator will convert info		•	
Inflow Type – Select	Gravity	Pump	Both
Outflow Type – Select	Gravity _	Pump	Both
Ability To Go Dry – Select _	Yes _	No N	o Preference
Internal Cells – Select	Yes	_ No No Pi	reference
If yes, how many cells?	Cells		

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 1,000 cfs, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 4 Configuration Name:Florida Crystals
INSTRUCTIONS Summary Sheet of a Treatment Component For Proposed Configuration
Instructions – Authors with Assistance from Facilitator Complete a Separate <i>FORM 4</i> for Each Treatment Component Included in the Proposed Configuration. <b>Bold items required.</b>
Note – One of these forms is completed for <b>EACH</b> Treatment Component as identified on FORM 2. This FORM 4 is to capture any additional specific information about the Treatment Component not already provided in FORM 1 and FORM 2.
Configuration Name (from <i>FORM 1</i> ): _Florida Crystals
Component Number and Name (from FORM 2):
Does Treatment Component Also Have a Primary Function as a Storage Component? YesX_ No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 4.
General Description of Treatment Component:

Convert Talisman "A" to STA as described in 2/19/09 WRAC presentation See attached map.

Encourage the Authors to be descriptive about the features of the component that matters most to them.

FORM 4 Configuration Name:Florida Crystals
Type of Treatment (check all that apply):  Mechanized like a Chemical Treatment Plant  XActively Managed like a Stormwater Treatment Area  Minimally Managed like a Wetlands  Passively Managed like Natural Lands
Have the Authors check which of the above best describes the treatmen component. This is especially important if they have defined a treatmen component unlike anything we have experience with – checking one or more o the above will help in understanding what it is similar to.
Check Most Important Feature(s) of Treatment Component (if any) (check al features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Treated – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
X _ Total Acres of Land34,500 acres effective (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost


Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the treatment component must be on 40,000 acres of land, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 4
Configuration Name:Florida Crystals
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples — - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties:Palm Beach
Description:
_Talisman "A" land
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Treatment Component Operations:
If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "natural un-recruited vegetation in the flowway will serve as the treatment component to obtain the required water quality for the Everglades".
Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Reliability of Treatment Component – As compared to a Stormwater Treatment Area
Inflow Capacity – Provide inflow in cubic feet per second

(Facilitator will convert information to cfs as necessary)

Inflow Type – Select	G	ravity	_ <b>X</b> _ Pump	Bo	oth
Outflow Type – Select	_ <b>X</b> _	_Gravity _	Pun	np	_ Both
Ability To Go Dry – Select		Yes	No	_ No Pref	erence
X Internal Cells – Select	_ <b>X</b> _	Yes	No	_ No Prefe	rence
If yes how many cells? see	atta	ched man	)		

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 1,000 cfs, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.



FORM 5		
Configuration Name:	_Florida Crystals_	 

# Summary Sheet of a Conveyance Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 5* for Each Conveyance Component Included in the Proposed Configuration. **Bold items required.** 

Note – One of these forms is completed for **EACH** Conveyance Component as identified on FORM 2. This FORM 5 is to capture any additional specific information about the Conveyance Component not already provided in FORM 1 and FORM 2. If no specific conveyance component identified by the Authors, the Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.

Configuration Name (from FORM 1): Florida Crystals
Component Number and Name (from FORM 2):Component 4 – Enlarge Miami Canal to Flowway
Does Conveyance Component Also Have a Primary Function as a Storage Component? Yes X No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 5.
Does Conveyance Component Also Have a Primary Function as a Treatment Component? Yes X _ No If yes, complete FORM 4 first and only add information not provided in FORM 4 to this FORM 5.
General Description of Conveyance Component:
New gated spillway @S-3 with nominal 7000 cfs capacity. Enlarge Miami Canal from S-3 to flowway (component 5) for 7000 cfs. Replace US27 bridge over Miami Canal Replace rail bridge over Miami Canal Enlarge levees on each side of canal to approximate top elevation of 22.0

Configuration Name:Florida Crystals
Encourage the Authors to be descriptive about the features of the component that matters most to them. For example, the middle of the lined canal will be deeper to handle typical flows with the wider, shallow part of the canal designed for peak flows.
Type of Conveyance:X _ Open Water with Water Level Below Ground Elevation Surface Finish:X Managed Vegetation Natural Vegetation Lined No Preference
Open Water with Water Level Above Ground Elevation Surface Finish: Managed Vegetation Natural Vegetation Lined No Preference
Closed Pipe: Below Ground Elevation Above Ground Elevation Managed Vegetation is vegetation within the conveyance feature is mowed and treated as necessary to minimize restriction to water flow. The banks are vegetated but with appropriate erosion protection as needed. This is similar to how the canals within the South Florida Water Management District are currently managed. Natural Vegetation is vegetation within the conveyance feature that is essentially allowed to grow naturally, not actively maintained, may restrict water flow, and may provide treatment benefit. The banks are vegetated but with appropriate erosion protection as needed.
Conveyance Feature: New _ X _ Enhancement of an Existing Canal (provide name of existing canal)Miami Canal

FORM 5 Configuration Name:Florida Crystals
Check Most Important Feature(s) of Conveyance Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Conveyed – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Conveyance Width – Provide width in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the water depth is 4 feet and volume is 1 million ac-ft, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples – - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties: Description:

FORM 5 Configuration Name:Florida Crystals
J
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Conveyance Component Operations:
If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "canal can go dry and will be capable of conveying flows no greater than 4,000 cfs".
Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
X Inflow Capacity – Provide inflow in cubic feet per second <b>7000</b> (Facilitator will convert information to cfs as necessary)
X Inflow Type – Select XGravity Pump Both
X Outflow Type – Select XGravity Pump Both
Ability To Go Dry – Select Yes No No Preference
Internal Cells – Select Yes No No Preference
If yes, how many cells? Cells

FORM 5		
Configuration Name:	Florida Crystals	

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 6,000 cfs and both inflow and outflow by gravity, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 3	
Configuration Name: Florida Crystals_	

## Summary Sheet of a Storage Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 3* for Each Storage Component Included in the Proposed Configuration. **Bold items required.** 

Note - One of these forms is completed for **EACH** Storage Component as identified on FORM 2. This FORM 3 is to capture any additional specific information about the Storage Component not already provided in FORM 1 and FORM 2. \_\_\_\_\_ Configuration Name (from FORM 1): \_Florida Crystals\_\_\_\_\_ Component Number and Name (from *FORM 2*): Component 5 – 45,000 acre managed flowway\_\_\_\_\_ \_\_\_\_\_ **General Description of Storage Component:** Managed flowway with levee on east side of Miami Canal. Existing Miami Canal is used for conveyance until its capacity is exceeded at which time water will overflow to the west into the flowway. Also used for conveyance (Form 5 completed). Need to verify land surface elevation in northwest corner of site. Consider adjusting northeast corner of flowway to avoid need for railroad relocation Encourage the Authors to be descriptive about the features of the component that matters most to them. Type of Storage: \_\_\_\_\_ Deep \_\_\_\_\_X\_ Shallow \_\_\_\_\_ Dispersed \_\_\_\_ Storage Below Ground Elevation \_\_\_\_\_ Storage Above Ground Elevation Deep Storage is generally over 4 feet water depth. Shallow Storage is generally less than 4 feet water depth. Dispersed Storage is generally water in wetlands, over natural lands, or flooded ranchlands.

Storage Below Ground Elevation is water level below surrounding ground surface such as a lake or in-ground reservoir. Storage Above Ground Elevation is water level above surrounding ground surface such as a reservoir. It is possible for a

FORM 3 Configuration Name: Florida Crystals
component to have both Below and Above Ground Storage such as a reservoir excavated 4 feet below surrounding ground surface and water is able to be stored up to 6 feet above ground surface.
Check Most Important Feature(s) of Storage Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume – Provide volume required in ac-ft (Facilitator will convert information to ac-ft as necessary)
X Water Depth – Provide depth in feet4 feet
X Total Acres of Land – 47,000 acres max. (45,000 acres effective)  (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have 1 million ac-ft of storage, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

### General Component Location:

(provide details on the required location of the component in addition to the information drawn on the map, examples –

- anywhere north of Lake Okeechobee
- only on US Sugar Lands west of L-19 Canal
- any lands between L-19 Canal and New Miami River Canal)

List Counties: _	_Hendry and Palm Beach_	
Description:		

FORM 3	
Configuration Name: Florida Crystals	

Bounded on the north by L-1E, on the west by the west US Sugar ownership line (east of L-2); on the south by STA 5 and Rottenberger; on the east by the east side of the Miami Canal

Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.

General Description of Storage Component Operations:			
_Gravity flow from Lake Okeechob Canal (component 4); pumped or o to STA on Talisman "A"(compone	gravity flow ( <sub>l</sub>		
If the Authors envision this component they need to describe that operati always be above 2 feet so that it no and traps wildlife in isolated pools".	on. For exa	imple, "water ele	vation would
Check Most Important Operational (check all features that are critical to configuration will be optimized for this Inflow Capacity – Provide in	o Authors; if no s feature):	ot checked then feet per second _	the proposed
(Facilitator will convert info Inflow Type – Select			Both
Outflow Type – Select	Gravity _	Pump	Both
Ability To Go Dry – Select _	Yes _	No N	o Preference
Internal Cells – Select	Yes	_ No No Pr	eference
If yes, how many cells?	Cells	Leave up to	optimization

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed

F	O	R	M	3
	$\smile$	ı 🔪	IVI	_

Configuration Name: Florida Crystals\_\_\_\_\_

during the evaluation. For example, if the Authors state the storage component must have only gravity inflow, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 5		
Configuration Name:	Florida Crystals_	

# Summary Sheet of a Conveyance Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 5* for Each Conveyance Component Included in the Proposed Configuration. **Bold items required.** 

Note – One of these forms is completed for **EACH** Conveyance Component as identified on FORM 2. This FORM 5 is to capture any additional specific information about the Conveyance Component not already provided in FORM 1 and FORM 2. If no specific conveyance component identified by the Authors, the Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.

Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.			
Configuration Name (from <i>FORM 1</i> ): Florida Crystals			
Component Number and Name (from <i>FORM 2</i> ):Component 5 – 45,000 acre managed flowway			
Does Conveyance Component Also Have a Primary Function as a Storage Component?X_ Yes No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 5.			
Does Conveyance Component Also Have a Primary Function as a Treatment Component? Yes X _ No If yes, complete FORM 4 first and only add information not provided in FORM 4 to this FORM 5.			
General Description of Conveyance Component:			

FORM 5 Configuration Name:Florida Crystals
Encourage the Authors to be descriptive about the features of the component that matters most to them. For example, the middle of the lined canal will be deeper to handle typical flows with the wider, shallow part of the canal designed for peak flows.
Type of Conveyance:  Open Water with Water Level Below Ground Elevation Surface Finish:  Managed Vegetation Natural Vegetation Lined No Preference
Lined No Preference  _ X _ Open Water with Water Level Above Ground Elevation Surface Finish: Managed Vegetation X Natural Vegetation Lined No Preference
Closed Pipe: Below Ground Elevation Above Ground Elevation Managed Vegetation is vegetation within the conveyance feature is mowed and treated as necessary to minimize restriction to water flow. The banks are vegetated but with appropriate erosion protection as needed. This is similar to how the canals within the South Florida Water Management District are currently managed. Natural Vegetation is vegetation within the conveyance feature that is essentially allowed to grow naturally, not actively maintained, may restrict water flow, and may provide treatment benefit. The banks are vegetated but with appropriate erosion protection as needed.
Conveyance Feature: New _ X Enhancement of an Existing Canal (provide name of existing canal)Miami Canal

FORM 5 Configuration Name:Florida Crystals
Check Most Important Feature(s) of Conveyance Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Conveyed – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Conveyance Width – Provide width in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed costOnly the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the water depth is 4 feet and volume is 1 million ac-ft, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples — - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties: Description:

FORM 5 Configuration Name:Florida Crystals
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Conveyance Component Operations:
If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "canal can go dry and will be capable of conveying flows no greater than 4,000 cfs".
Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
X Inflow Capacity – Provide inflow in cubic feet per second7000 (Facilitator will convert information to cfs as necessary)
X Inflow Type – Select XGravity Pump Both
X Outflow Type – SelectGravity Pump X Both
Ability To Go Dry – Select <b>X</b> _ Yes No No Preference
Internal Cells – Select Yes No X _ No Preference
If yes, how many cells? Cells

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is

FORM 5		
Configuration Name: _	_Florida Crystals_	 

6,000 cfs and both inflow and outflow by gravity, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 5		
Configuration Name:	Florida Crystals_	

# Summary Sheet of a Conveyance Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 5* for Each Conveyance Component Included in the Proposed Configuration. **Bold items required.** 

Note – One of these forms is completed for **EACH** Conveyance Component as identified on FORM 2. This FORM 5 is to capture any additional specific information about the Conveyance Component not already provided in FORM 1 and FORM 2. If no specific conveyance component identified by the Authors, the Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.

Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.		
Configuration Name (from <i>FORM 1</i> ): Florida Crystals		
Component Number and Name (from <i>FORM 2</i> ):Component 6 – Divert S-4 basin to flowway		
Does Conveyance Component Also Have a Primary Function as a Storage Component? Yes X No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 5.		
Does Conveyance Component Also Have a Primary Function as a Treatment Component? Yes X _ No If yes, complete FORM 4 first and only add information not provided in FORM 4 to this FORM 5.		
General Description of Conveyance Component:		
Divert S-4 basin to flowway (component 5) as described in 2008 feasibility study.		

FORM 5 Configuration Name:Florida Crystals
Encourage the Authors to be descriptive about the features of the component
that matters most to them. For example, the middle of the lined canal will be deeper to handle typical flows with the wider, shallow part of the canal designed for peak flows.
Type of Conveyance:  _X_ Open Water with Water Level Below Ground Elevation  Surface Finish:  X Managed Vegetation Natural Vegetation  Lined No Preference
Open Water with Water Level Above Ground Elevation Surface Finish: Managed Vegetation Natural Vegetation Lined No Preference
Closed Pipe: Below Ground Elevation Above Ground Elevation Managed Vegetation is vegetation within the conveyance feature is mowed and treated as necessary to minimize restriction to water flow. The banks are vegetated but with appropriate erosion protection as needed. This is similar to how the canals within the South Florida Water Management District are currently managed. Natural Vegetation is vegetation within the conveyance feature that is essentially allowed to grow naturally, not actively maintained, may restrict water flow, and may provide treatment benefit. The banks are vegetated but with appropriate erosion protection as needed.
Conveyance Feature: X New Enhancement of an Existing Canal (provide name of existing canal)

Configuration Name:Florida Crystals
Check Most Important Feature(s) of Conveyance Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Conveyed – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Conveyance Width – Provide width in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed costOnly the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the water depth is 4 feet and volume is 1 million ac-ft, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples – - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties: Description:

FORM 5 Configuration Name:Florida Crystals
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Conveyance Component Operations:
If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "canal can go dry and will be capable of conveying flows no greater than 4,000 cfs".
Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Inflow Capacity – Provide inflow in cubic feet per second <b>7000</b> (Facilitator will convert information to cfs as necessary)
Inflow Type – SelectGravity Pump Both
Outflow Type – SelectGravity Pump Both
Ability To Go Dry – Select Yes No No Preference
Internal Cells – Select Yes No No Preference
If yes, how many cells? Cells

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed

FORM 5		
Configuration Name: _	_Florida Crystals_	 

during the evaluation. For example, if the Authors state the inflow capacity is 6,000 cfs and both inflow and outflow by gravity, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 5 Configuration Name:Florida Crystals
INSTRUCTIONS Summary Sheet of a Conveyance Component

For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate FORM 5 for Each Conveyance Component Included in the Proposed Configuration. Bold items required.

Note – One of these forms is completed for **EACH** Conveyance Component as identified on FORM 2. This FORM 5 is to capture any additional specific information about the Conveyance Component not already provided in FORM 1 and FORM 2. If no specific conveyance component identified by the Authors, the Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.

Configuration Name (from FORM 1): Florida Crystals
Component Number and Name (from FORM 2):Component 7 – Expand Bolles Canal
Does Conveyance Component Also Have a Primary Function as a Storage Component? Yes X No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 5.
Does Conveyance Component Also Have a Primary Function as a Treatment Component? Yes X _ No If yes, complete FORM 4 first and only add information not provided in FORM 4 to this FORM 5.
General Description of Conveyance Component:

Since new levee will be constructed on east side of Miami Canal to create flowway (component 5), existing flow from Bolles Canal to Miami Canal will no longer be possible. This component provides either 1) expansion of Bolles Canal to convey flow to North New River Canal, or 2) a pump station to take flow from Bolles over the new levee into Miami Canal if canal expansion is not feasible.

Configuration Name:Florida Crystals
Oomiguration Name fonda Orystais
Encourage the Authors to be descriptive about the features of the component that matters most to them. For example, the middle of the lined canal will be deeper to handle typical flows with the wider, shallow part of the canal designed for peak flows.
Type of Conveyance:  _ X _ Open Water with Water Level Below Ground Elevation Surface Finish:  X _ Managed Vegetation Natural Vegetation Lined No Preference
Open Water with Water Level Above Ground Elevation
Surface Finish:
Managed Vegetation Natural Vegetation No Preference
Closed Pipe: Below Ground Elevation Above Ground Elevation Managed Vegetation is vegetation within the conveyance feature is mowed and treated as necessary to minimize restriction to water flow. The banks are vegetated but with appropriate erosion protection as needed. This is similar to how the canals within the South Florida Water Management District are currently managed. Natural Vegetation is vegetation within the conveyance feature that is essentially allowed to grow naturally, not actively maintained, may restrict water flow, and may provide treatment benefit. The banks are vegetated but with appropriate erosion protection as needed.
Conveyance Feature: New _ X Enhancement of an Existing Canal (provide name of existing canal)Bolles Canal

FORM 5 Configuration Name:Florida Crystals
Check Most Important Feature(s) of Conveyance Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Conveyed – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Conveyance Width – Provide width in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost  Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the water depth is 4 feet and volume is 1 million ac-ft, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples –  - anywhere north of Lake Okeechobee  - only on US Sugar Lands west of L-19 Canal  - any lands between L-19 Canal and New Miami River Canal)
List Counties:

Configuration Name:Florida Crystals		
Description:		
Provide additional information about the ensure the component is sited at the des to be specific. If no additional informat utilize the information shown on the component to reduce costs and increase	ired location. The Auth ion provided, the Evalu map and more spec	nors do not need uation Team will
General Description of Conveyance Comp	oonent Operations:	
provide 3/4" per day removal rate.		
If the Authors envision this component to they need to describe that operation. For capable of conveying flows no greater that	<sup>r</sup> example, "canal can g	
Check Most Important Operational Featur (check all features that are critical to Auth configuration will be optimized for this features.)	ors; if not checked then	
Inflow Capacity – Provide inflow (Facilitator will convert information)		
Inflow Type – SelectGra	vity Pump	Both
Outflow Type – SelectGra	vity Pump	Both
Ability To Go Dry – Select	Yes No !	No Preference
Internal Cells – Select Y	es No No	Preference

FORM 5 Configuration Name:	Florida Crystals		
If yes, how many c	ells?	Cells	

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 6,000 cfs and both inflow and outflow by gravity, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

### **INSTRUCTIONS Summary Sheet of Proposed Configuration**

Instructions – Authors with Assistance of Facilitator Complete FORM 1 for Each Proposed Configuration. **Bold items required.** 

Complete . . . " should be completed at the Workshop. The form can be filled in by the Authors or filled in by the Facilitator based on the information provided by the Authors, whichever the Authors prefer. If filled in by the Authors, the Facilitator will review for legibility, understandability, and completeness. If filled in by the Facilitators, Authors should review for accurate representation of their Configuration.

For all of the forms with the Instructions of "Authors with Assistance of Facilitator \_\_\_\_\_ Configuration Name: \_Florida Crystals\_\_\_\_\_ Assist Authors of Proposed Configuration with Establishing a Unique and Descriptive Name of the Proposed Configuration. This Name will be used for all future presentations and documentation to describe that Proposed Configuration Authors of Configuration: <u>Galen Miller, Sam Poole</u> List the Name of Every Individual that created and contributed to this Configuration during the exercise Spokesperson Name and Contact Info: \_Sam Poole: 954-627-9918, spoole@bergersingerman.com For technical questions contact Galen Miller: 816-668-1317, gmiller@burnsmcd.com The Authors need to select a Spokesperson for the Configuration who will present the Configuration at the second day of the Workshop and who will be the point of contact for the Facilitator during the Evaluation phase. Need name, email address, and phone number. Facilitator Name and Contact Info: \_\_Mark Long, 561-644-4292, malong@sfwmd.gov point of contact with the Spokesperson and the Evaluation Team.

Name, email address, and phone number of District Facilitator who will be the 

Configuration Name: _Florida Crystals	<del></del>
Configuration's General Description:  Expand STA 1W/STA 1E by 14,000 ac	ros in S-5A hasin: convert Talisman
Compartment A to STA; couple Comp develop 45,000 acre managed flowway generally west of Miami Canal; comple reservoirs and treatment areas; divert flowway; discontinue (if possible) bac 2, S-3, and S-4; discontinue "backpum"	artment B with (expanded) STA 3/4; y south of Lake Okeechobee and ete ECART; complete C-43 and C-44 S-4 basin runoff to managed kpumping to Lake Okeechobee at S-
general location of this configuration. slide in a WRAC or Governing Boar	vey the general aspects, elements, and Think of this description as a one page of presentation. The general location ake Okeechobee and if located solely or
List Percentage of any Performance Me RESOPs to be Achieved by Proposed Co	easure (PM) / Indicator (I) Evaluated by onfiguration:
PM / I:	Percentage:
PM / I:	Percentage:
PM / I: PM / I:	
PM / I:	
Additional PM / I Information:	
is met by this configuration. An Example of 50% or better. Use the needed. Also, if specific questions	cific PM / I that they want to make certain ample – LO - Below Stage Envelope list of PM / I in the Facilitator's Packet as or need clarifications, flag down Called provided, the Proposed Configuration best as possible.
Anticipated Benefits of Proposed Cor (examples – ecologic or economic benef	, 
Lake Okeechobee TP load due to disc	the contract of the contract o

FORM 1

FORM 1 Configuration Name: _Florida Crystals
Comigaration Namen longa Grystalo
List any additional benefits anticipated from the Proposed Configuration by the Authors that RESOPs can not evaluate (Benefits not listed as a PM / I). These benefits may be ecological, economical, etc.
Proposed Configuration Estimated Cost in 2009 Dollars (unless otherwise specified, includes real estate, ecological remediation, design construction, engineering during construction, construction management, and contingency costs):
approximately \$1.5 billion plus land acquisition and remediation
If they have a cost estimate, please ask them to provide. If the cost estimate obtained during the evaluation phase is significantly different, we can contact the Spokesperson and attempt to clarify. Verify if the estimate provided includes all of the items listed about. If not, list which items the estimate does include. If they do not have an estimate, that is okay.
Overall Operational Assumptions for RESOPs to be Utilized During Evaluation of Configuration:
RESOPS input file provided
List anything specifically the Authors want relative to the operation of the

List anything specifically the Authors want relative to the operation of the configuration not listed elsewhere on FORM 1. Examples might be a specific Lake Okeechobee Regulation Schedule, specific high and low levels for Lake

FORM 1		
Configuration Name:	Florida Crystals	

Okeechobee, only gravity flow from Lake Okeechobee, the ability or no ability to divert water from Lake Okeechobee to the north, storage component can never go dry, only a specified flow target for the Everglades, STAs can go dry or must always have water, no harmful discharges to estuaries, etc. Specifying any of these types of conditions may limit the benefits the configuration would achieve based on RESOPs instead of RESOPs optimizing the operating parameters as best as possible.

Key Elements Not Mentioned Elsewhere:					

List the main aspects that are the biggest concern to the Authors that have not been mentioned elsewhere on this FORM 1. Examples might be gravity flow from Lake Okeechobee, no storage over 4 feet deep, a shallow flowway that conveys and treats water, all construction located west of the Miami Canal, no deep storage, no ASRs, etc. These items you might pick up during the course of the 2-day Workshop.

FORM 2		
Configuration Name: _	_Florida Crystals _	

## **Summary Sheet of Components For Proposed Configuration**

Instructions – Authors with Assistance of Facilitator Complete *FORM 2* for Each Proposed Configuration. **Bold items required.** 

It may be easier to complete this form after the Authors have drawn an initial configuration on a map.

Configuration Name (from FORM 1): \_\_\_Florida Crystals\_\_\_\_\_\_

Provide Name and Circle Primary Function(s) of Each Component of

Provide Name and Circle Primary Function(s) of Each Component of Proposed Configuration (a component can have more than one primary function):

1. 14.000 acre STA in S-5A basin

/ Treatment

2. Enlarge North New River & Bolles (ECART)	/ Conveyance
3. Convert Talisman "A" to STA	_/ Treatment
4. Enlarge Miami Canal to flowway	_ / Conveyance
5. 45,000 acre managed flowway	/Storage / Conveyance
6. Divert S-4 basin to flowway	_/ Conveyance
7. Expand Bolles canal	_/ Conveyance
8	_ Storage / Treatment / Conveyance
9	_ Storage / Treatment / Conveyance
10	_ Storage / Treatment / Conveyance
11	_ Storage / Treatment / Conveyance
12	_ Storage / Treatment / Conveyance

Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing on to assist in verifying the location of each component.

A separate FORM 3 will be completed for EACH Storage Component listed above. A separate FORM 4 will be completed for EACH Treatment Component

FORM 2		
Configuration Name: _	_Florida Crystals _	 

listed above. A separate FORM 5 will be completed for EACH Conveyance Component listed above. If a component is both Storage and Treatment, complete FORM 3 first and provide any missing information in Form 4. Similarly, if a component is both Treatment and Conveyance, complete FORM 4 first and provide any missing information in Form 5. If a component is both Storage and Conveyance, complete FORM 3 first and provide any missing information in Form 5. And Lastly, If a component is Storage, Treatment, and Conveyance, complete FORM 3 first, then provide any missing information in Form 4, and any remaining missing information in Form 5.

Description ation:			the	Proposed

The Authors should be able to generally describe how the water gets from the originating water source (for example, Lake Okeechobee) to the final destination of the water. As much as possible, the Authors should utilize the names of the components specified above and all of those specified components should be included in the description. If they do not have specific conveyance components defined, then the Evaluation Team will include the proper conveyance to follow the path they have described. For example, the description above may be "Water flows from Lake Okeechobee down the North New Miami River Canal, to Component No. 1 Flowway, discharges to a canal, enters Component No. 2 Stormwater Treatment Area, discharges into the Everglades." Or "Water flows from Kissimmee River to Component No. 3 Reservoir and to Lake Okeechobee." Then, the Evaluation team will add the conveyance components that fit the requirements of the other information provided by the Authors to insure the Configuration is functionally viable.